

DOCH

USA HEADQUARTER

100 S Ashley Dr, Suite 200 Tampa, Florida , USA 33602

(+91) 88984 88987

SYSTEM INTEGRATOR

MANO ENTERPRISES

HOOTAGALLI MYSURU - 570018

CONTACT MOBILE: 8660761473

info@manoenterprises.in







DOCH SMARTHOME SOLUTIONS

DOCH SMARTHOME provides outstanding solutions controlled by smartphone and voice.



Al based Security



Timer set for curtains to close/open



Smart door lock



16-million-color RGB LED



Automatic plant watering system



Multi-room audio system




Smart lighting system



Automatic gate




Impressive All in one DOCH smart touch switches allow controlling lighting equipment air conditioners and curtains via smartphone and tablet. They're unique by exquisite and luxurious appeal which embraces the interior design.










Ordinary cameras can only observe "how the thief breaks in", but chasing the thief away as soon as the break-in is detected is really what we need.

Our process of protecting your house:

AI SECURITY SOLUTION






"SELF-DEFENCE" SMART HOUSE

Al Camera NUE - "Secure your home" in your own way

AUTOMATIC GATE SOLUTION

Close/open the gate remotely

Regular automatic gates, after being integrated with Doch's Smart Gate Module, will easily allow you to open the gate remotely, monitoring the real status even when you are comfortably in bed or when you are at work.









GARDEN WATERINGSOLUTION

Automatic garden irrigation

The family garden will be taken care of automatically thanks to the timed garden irrigation system via the Doch application.

You can also control garden watering by voice when not using your smartphone.





SMART ROLLING DOOR SOLUTION

By combining a regular rolling door with a smart rolling door switch from Doch, you can conveniently and safely control your home's rolling door device using Doch's smart touch switch or your smartphone.

At the same time, you can monitor the current status of the rolling door and control the door status better. Furthermore, you can program the rolling door to open and close according to your family's schedule (if necessary).







PRESENCE SENSOR SOLUTION

Doch is a pioneer enterprise in India combining Radar and PIR technology in the Doch Presence Sensor product.


No longer will the light go out unexpectedly because it does not detect any motion; instead, the device will recognize the presence of people by our breath. Doch presence sensors are safe for installation in personal settings, can be easily configured, and help conserve energy by turning lights on and off automatically.

SOLUTIONS FOR TV, AIR CONDITIONER

Infrared remote controller

There is no need for too many remotes for all air conditioners and televisions, with just a single smartphone and one touch, all devices will be controlled on the Doch LX app.






AUTOMATIC WATER HEATER SOLUTION

Timer to turn on/off water heater

You can completely set up to automatically turn on/off the water heater by smartphone or voice. Life will be more wonderful if every time you come home, the water heater is already on for your relaxation.









FOR ENTERTAINMENT & FUN

Multiroom Audio

The solution acts as a professional "music player" to help you relax with melodious music in the evening or cheerfully wake up. With just a smartphone or voice command, a perfect party of light will take place in your own house.









16-million-color LED

The system allows customizing the house into entertainment system with 16 million colors of light for each space and event. You can enjoy your birthday party, Christmas or New Year in bright lights with your family.

Doch SMARTHOME PRODUCTS



PIXEL 8A

8 x 16A Switch or Scene Multi functional Screens Size 8M



NEXUS 4F

6 x 16A Switch 1 x Fan 6 Scene Size 4M



PIXEL 2

4 x 6A Switch 6 Scene Multi functional Screen Size 2M



NEXUS 6

10 x 16A Switch 10 Scene Size 6 & 8M



NEXUS 2

4 x 16A Switch 5 Scene Size 2M



NEXUS 6P

8 x 16A SwitchScene 1 x Multi Socket Size 6 & 8M



HOME CONTROLLER

Power supply: 110 - 240 V AC $\sim 50/60 \text{ Hz}$ Operating temperature: $0^{\circ}\text{C} - 50^{\circ}\text{C}$ Communication: Zigbee/SA-MI Dimensions: $95.6 \times 48.9 \times 46 \text{ mm}$

Weight: 66.5 grams



IR CONTROLLER

Power supply: 5V DC/1A

Operating temperature: 0° C - 50° C

Control angle: 360°

Number of learning instructions: 400 instructions

Communication: Zigbee/SA-MI

Dimensions: 70 x 21 mm **Weight:** 66.5 grams



PREMIUM HOME CONTROLLER

CPU: Quad-core ARM® Cortex®-A9@1.2GHz

RAM: 512MB

Flash memory: 4GB

4G-LTE integrated: Simcom A7672S + Nano Sim

LAN: 1Gbps

Voltage: 9-24 VDC

Power: 12V - 1A

Communication: Zigbee/SA-MI **Dimension (L*W*H):** 150*150*34 mm



INPUT MODULE

Power supply: 9 - 24V DC/1AOperating temperature: $0^{\circ}C - 50^{\circ}C$

Communication: Zigbee/SA-MI **Dimensions:** 80 x 80 x 20 mm

Weight: 200 grams



DAIKIN V1.1 AIR CONDITIONER HOME CONTROLLER

Power supply: 9 - 24V DC/1A Operating temperature: 0°C - 50°C Communications: Zigbee/SA-MI Dimensions: 80 x 80 x 20 mm

Weight: 200 grams



MULTIROOM AUDIO

Power supply: 20V DC/4.5A

Operating temperature: 0°C - 50°C **Communication:** Zigbee/SA-MI

Maximum output power: 50W x 2 (4/8 Ohm Speaker) Dimensions: 160 x 129 x 26 mm

Weight: 930 grams



DOOR SENSOR

Power supply: CR2477 battery 3.3V 1A Operating temperature: 0°C - 50°C

Battery life: 1 year

Light range: 0 - 10,000 lux **Communication:** Zigbee/SA-MI **Dimensions:** 36 x 36 x 15 mm

Weight: 29 grams



PRESENCE SENSOR

Model: LM-PC

Operating voltage: 100V-240VAC

Frequency: 50/60Hz Luminaire: 0 – 10000 lux

Output power: Pure resistive load: $\leq 3000W$ | LED resistor load: $\leq 300W$

PIR motion scanning angle: Angle 1: 90° Angle 2: 102° Radar motion scanning angle: Angle 1: 90° Angle 2: 100°

Communication: Zigbee/SA-MI **Operating distance:** 5m



SMART GATE MODULE

Operating voltage: 9-24V DC
Operating temperature: 0°C - 50°C
Communication: Zigbee/SA-MI
Dimension (L*W*H): 80 x 80 x 20mm

Weight: 200 gam

MODULE RS485

Operating voltage: 9-24V DC
Operating temperature: 0°C - 50°C
Wireless communication: Not supported
Dimension (L*W*H): 47.5 x 49 x 20.4 mm

Signal wire limit (From RS485 Module -> -GATE):

Maximum 100m



BATTERY-POWERED MOTION SENSOR

Power supply: 3 AAA batteries
Operating temperature: 0°C - 50°C
Communication: Zigbee/SA-MI
Light range: 0 - 10,000 lux
Dimensions: 35 x 70 mm
Weight: 90 grams

Motion scanning angle: 90° Recognition height ≤ 6m



SOCKETS

Operating voltage:

100 - 240V AC ~ 50/60 Hz

Current: 16A Rectangle size: 80 x 121.5 x 31.5 mm

Square size: 95 x 95 x 31.5 mm

Color: Black/White



2 IN 1 STAIR LIGHT SWITCH (WITH SENSOR)

Operating voltage:

100 - 240V AC ~ 50/60 Hz

No-load power consumption: <0.5W Operating temperature: 0°C - 50°C Communications: Zigbee/SA-MI

Wattage:

- Resistive load ≤ 700W/channel

- LED load ≤ 150W/channel

Rectangle size: $80 \times 121.5 \times 31.5 \text{ mm}$ **Square dimensions:** $95 \times 95 \times 31.5 \text{ mm}$ **Horizontal scanning angle** 150° , **vertical** 35°



SMART TOUCH SWITCH

Operating voltage: 100 - 240V AC ~ 50/60 Hz

No-load power consumption: <0.5WOperating temperature: $0^{\circ}C - 50^{\circ}C$ Normal load capacity (Up to 4 nodes):

Resistive load ≤ 700W/channel

LED load ≤ 150W/channel

High load capacity (Up to 3 buttons):

Resistive load ≤ 3000W/channel

LED load ≤300W/channel

Communication: Zigbee/SA-MI **Rectangle size:** 121.5 x 80 x 31.5mm

Square size: 95 x 95 x 31.5mm **Number of buttons:** 1 to 4

Bezel type: Champagne bezel, Gold bezel

Color: Black/White



SCENE REMOTE

Number of triggerable contexts: 15

Dimensions LxH: 66x9,5mm, weight: 65 gram

Communication: Zigbee/SA-MI

Capacitive touch: Supports 5 touch buttons **Battery:** Li-ion 450 mah (use time 5 months)

Charging port: Type C





TURRET SMART CAMERA

Lens: 90.4° @3.6mm

Distinguish and detect human/object movements

Power: 12VDC - 1A/Active PoE

Speaker, Mic: Yes

Storage: Micro SD/Cloud memory card

Waterproof: IP66 **Resolution:** 4MP, 2K



BULLET SMART CAMERA

Lens: 90.4° @3.6mm

Distinguish and detect human/object movements

Power: 12VDC - 1A/Active PoE

Speaker, Mic: Yes

Storage: Micro SD/Cloud memory card

Waterproof: IP66 **Resolution:** 4MP, 2K



MODULE 2 IN 2 OUT/ZIGBEE

Operating voltage: $100 - 240V AC \sim 60 Hz$

Operating temperature: 0 - 50°C Communication: Zigbee/SA-MI

Output power: 1000W resistive load/ 200W LED **Dimensions (LxWxH):** 47.5 x 49 x 20.4 mm



CURTAINS MOTOR

Operating voltage: 100 - 240V AC $\sim 50/60 Hz$ Curtain opening/closing speed: 14 cm/s

Operating temperature: 0 - 40°C Maximum load weight: 50kg Communication: Zigbee/SA-MI

Dimensions (LxWxH): $348.3 \times 50.4 \times 71 \text{ mm}$



MODULE 5 IN 1/ZIGBEE

Operating voltage: 12 - 24V DC
Operating temperature: 0 - 50°C
Power consumption: 5A each Port
Output capacity: Max 15A/Total
Communication: Zigbee/SA-MI

Dimensions (LxWxH): $47.5 \times 49 \times 20.4 \text{ mm}$

Limited distance between ZigBee devices: 10m/40m (when there is an obstacle / without an obstacle)

ALL IN ONE HUB WITH BUILT-IN VOICE CONTROL TO CONTROL 100+ DEVICES













Diverse products for **all living spaces**, from interior to exterior

Bright and sharp lighting enhances emotion

Easy control via smartphone



PATIENT RECOVERY




COMFORTABLE BUT

CONCENTRATED AND EFFICIENT



MAKE ENVIRONMENT **MORE**JOYFUL

APPLYING HCL PRINCIPLE TO CREATE A NATURAL LIGHT SOURCE



COMFORT AND IMPROVE WORK EFFICIENCY

Helps the body regulate the natural circadian rhythm that humans have adapted to throughout evolution.















Wallwasher Narrow Spot 8°

Narrow 24°

Medium 38°

Wide 60°





OUTSTANDING **PROJECTS**

SANSARA , THAILAND 42 LUXURY CONDOS THAILAND





EXPERION - SUPER LUXURY PARTMENT GURGAON



THE **42** – ULTRA PREMIUM APARTMENT



THE BOTANIKA – 185 SUPER LUXURY 4BHK APARTMENTS



VASAVI ATLANTIS – **220** SUPER LUXURY 3/4BHK APARTMENTS



ELEMENTAL REALITY – 125 PREMIUM VILLAS, HYDERABAD



DSR FORTUNE SONTHALIA – 180 ULTRA LUXURY APARTMENT, 15000 SFT EACH



DSR FORTUNE ONE – 172 LUXURY 4BHK APARTMENTS, HYDERABAD



SANSARA, THAILAND - 42 LUXURY CONDOS, THAILAND











PERSONALIZED APP DESIGN





QUALITY IS PARAMOUNT

"Quality is a prerequisite". This is the key to the company's growth and reputation. Doch's engineers constantly exchange expertise with experts from the world's leading component suppliers such as the US, Switzerland, Japan, Korea and cooperate with Indian partners for product development.

CE certificate is a "commercial passport" for Doch products to reach foreign markets.















COMPONENT SUPPLIERS - WORLD LEADING PARTNERS



























Panasonic.

EXPANDING MARKETS

2 Offices4 Service centersNationwide service

